



Light Source Test Report



Color Parameters:

Chromaticity Coordinate: $x=0.3764$ $y=0.3774$
 Chromaticity Coordinate: $u'=0.2222$ $v'=0.5013$ ($duv=1.50e-03$)
 Tc=4116K Dominant WL:Ld=577.8nm Purity=26.2% Centroid WL:568.0nm
 Ratio:R=19.1% G=77.2% B=3.6% Peak WL:Lp=450.0nm HWL:23.4nm
 Render Index:Ra=81.4
 R1 =79 R2 =90 R3 =95 R4 =79 R5 =80 R6 =86 R7 =84
 R8 =59 R9 =-5 R10=76 R11=78 R12=61 R13=82 R14=98 R15=72

Photo Parameters:

Flux: 5684.5 lm Fe: 17.351 W Efficacy:147.6 lm/W

Electrical Parameters:

Lamp : U=220.4V I=0.1774A P=38.53W PF=0.9854

Instrument Status:

Scan Range:380.0nm-800.0nm Interval:5.0nm[0] $I_p=26539$ (G=3,D=129)
 REF=15406 (R=2) $\%=-0.085\%$ PMT: 26.4 centigrade [150.0]

Product Type:
 Number:00074
 Temperature:25.3 deg
 Test Operator:PZ08
 Software:V2.00.122

Manufacturer:
 Test Department:EVERFINE
 Humidity:65.0%
 Test Date:2021-03-10 19:34:47
 Instrument:PMS-80_V1 (SN:11080027)